DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/13/2016 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION NAME OF PROVIDER OR SUPPLIER		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED R-C 01/08/2016	
		155273	B. WING				
		100270			EET ADDRESS, CITY, STATE, ZIP CODE		
NAME OF PR	ROVIDER OR SUPPLIER						
CYPRESS GROVE REHABILITATION CENTER				4255 MEDWELL DR			
				NEW	/BURGH, IN 47630		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFII TAG	×	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	INITIAL COMMENTS		{F 0	00}			
	Paper compliance to Complaint IN0018674	the Investigation of 41 completed on 11/19/15.					
	Review date: 1/8/16						
	Facility number: 000173						
Provider number: 155273							
	AIM number: 100290920						
	Cypress Grove was found to be in compliance						
	with 42 CFR Part 483, Subpart B and 410 IAC						
	16.2-3.1, in regards to the paper compliance						
	review to the Investig IN00186741.	ation of Complaint					
LABORATORY	DIRECTOR'S OR PROVINCE	SUPPLIER REPRESENTATIVE'S SIGNATU	IRE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.